

TORRENT
ELECTRICALS

PRICE LIST

w.e.f. 5th Feb, 2026

FLAME RETARDANT (FR) 90 METRES



Torrent Electricals single core unsheathed FR PVC insulated wires with multistrand flexible bright annealed bare copper conductor for voltage grade up to and including 1100 volts, confirming to IS 694-2010 (HSN CODE - 8544)



CONDUCTOR AREA SIZE (sq.mm)	CONDUCTOR CONFIGURATION NO./ DIA (in mm)	LIST PRICE IN ₹ PER 90m	NO.OF COILS PACKED IN A MASTER CARTON
0.75 sq.mm	24/0.2	2293	28
1.0 sq.mm	32/0.2	2992	24
1.5 sq.mm	30/0.2	4335	16
2.5 sq.mm	50/0.2	6969	12
4.0 sq.mm	56/0.2	10784	8
6.0 sq.mm	84/0.2	16293	6

Terms and Conditions

- GST** Shall be charged extra as applicable at the time of dispatch.
- Packing** Order shall be as per standard packing only.
- Colours** Available colours - Red, Yellow, Blue, Black, Green, Grey and White. Other colours will be available against request.

This Price list supersedes all our previous price lists and subject to change without prior notice.



FLAME RETARDANT (FR) 180 METRES

Torrent Electricals single core unsheathed FR PVC insulated wires with multistrand flexible bright annealed bare copper conductor for voltage grade up to and including 1100 voltas, confirming to IS 694-2010 (HSN CODE - 8544)



CONDUCTOR AREA SIZE (sq.mm)	CONDUCTOR CONFIGURATION NO./ DIA (in mm)	LIST PRICE IN ₹ PER 180m	NO.OF COILS PACKED IN A MASTER CARTON
0.75 sq.mm	24/0.2	4640	14
1.0 sq.mm	32/0.2	6065	12
1.5 sq.mm	30/0.25	8643	8
2.5 sq.mm	50/0.25	14073	6
4.0 sq.mm	56/0.25	22177	4
6.0 sq.mm	84/0.3	32964	3

Terms and Conditions

- GST** Shall be charged extra as applicable at the time of dispatch.
- Packing** Order shall be as per standard packing only.
- Colours** Available colours - Red, Yellow, Blue, Black, Green, Grey and White. Other colours will be available against request.

This Price list supersedes all our previous price lists and subject to change without prior notice.



FLAME RETARDANT (FR) 45 METRES

Torrent Electricals single core unsheathed FR PVC insulated wires with multistrand flexible bright annealed bare copper conductor for voltage grade up to and including 1100 volts, conforming to IS 694-2010 (HSN CODE - 8544)



CONDUCTOR AREA SIZE (sq.mm)	CONDUCTOR CONFIGURATION NO./ DIA (in mm)	LIST PRICE IN ₹ PER 45m	NO.OF COILS PACKED IN A MASTER CARTON
0.75 sq.mm	24/0.2	1170	54
1.0 sq.mm	32/0.2	1525	48
1.5 sq.mm	30/0.25	2211	30
2.5 sq.mm	50/0.25	3554	24
4.0 sq.mm	56/0.25	5500	16
6.0 sq.mm	84/0.3	8309	12

Terms and Conditions

- GST** Shall be charged extra as applicable at the time of dispatch.
- Packing** Order shall be as per standard packing only.
- Colours** Available colours - Red, Yellow, Blue, Black, Green, Grey and White. Other colours will be available against request.

This Price list supersedes all our previous price lists and subject to change without prior notice.



FLAME RETARDANT LOW SMOKE HALOGEN(FRLSH) 180 METRES

Torrent Electricals single core unsheathed FRLSH PVC insulated wires with multistrand flexible bright annealed bare copper conductor for voltage grade up to and including 1100 volts, conforming to IS 694-2010 (HSN CODE - 8544)



CONDUCTOR AREA SIZE (sq.mm)	CONDUCTOR CONFIGURATION NO./ DIA (in mm)	LIST PRICE IN ₹ PER 180m	NO.OF COILS PACKED IN A MASTER CARTON
0.75 sq.mm	24/0.2	4974	14
1.0 sq.mm	32/0.2	6468	12
1.5 sq.mm	30/0.25	9148	8
2.5 sq.mm	50/0.25	15023	6
4.0 sq.mm	56/0.25	23586	4
6.0 sq.mm	84/0.3	35031	3

Terms and Conditions

- GST** Shall be charged extra as applicable at the time of dispatch.
- Packing** Order shall be as per standard packing only.
- Colours** Available colours - Red, Yellow, Blue, Black, Green, Grey and White. Other colours will be available against request.

This Price list supersedes all our previous price lists and subject to change without prior notice.



HEAT RESISTANT FLAME RETARDANT (HRFR)90 METRES



Torrent Electricals single core unsheathed HRFR PVC insulated wires with multistrand flexible bright annealed bare copper conductor for voltage grade up to and including 1100 volts, confirming to IS 694-2010 (HSN CODE - 8544)



CONDUCTOR AREA SIZE (sq.mm)	CONDUCTOR CONFIGURATION NO./ DIA (in mm)	LIST PRICE IN ₹ PER 90m	NO.OF COILS PACKED IN A MASTER CARTON
0.75 sq.mm	24/0.2	2402	28
1.0 sq.mm	14/0.31	3262	24
1.5 sq.mm	22/0.31	4762	16
2.5 sq.mm	36/0.31	7592	12
4.0 sq.mm	56/0.2	11051	8
6.0 sq.mm	84/0.2	16513	6

Terms and Conditions

- GST** Shall be charged extra as applicable at the time of dispatch.
- Packing** Order shall be as per standard packing only.
- Colours** Available colours - Red, Yellow, Blue, Black, Green, Grey and White. Other colours will be available against request.

This Price list supersedes all our previous price lists and subject to change without prior notice.



HALOGEN FREE FLAME RETARDANT (HFFR) 180 METRES

Torrent Electricals single core unsheathed multistrand high conductivity plain copper thermoplastic Halogen Free Flame Retardant (HFFR) insulated single core unsheathed wires in voltage grade up to and including 1100 Volts, confirming to IS 17048 (HSN CODE - 8544)



CONDUCTOR AREA SIZE (sq.mm)	CONDUCTOR CONFIGURATION NO./ DIA (in mm)	LIST PRICE IN ₹ PER 180m	NO.OF COILS PACKED IN A MASTER CARTON
0.75 sq.mm	24/0.2	5136	14
1.0 sq.mm	14/0.31	6765	12
1.5 sq.mm	22/0.31	10016	8
2.5 sq.mm	36/0.31	16050	6
4.0 sq.mm	56/0.2	24803	4
6.0 sq.mm	84/0.2	36839	3

Terms and Conditions

- GST** Shall be charged extra as applicable at the time of dispatch.
- Packing** Order shall be as per standard packing only.
- Colours** Available colours - Red, Yellow, Blue, Black, Green, Grey and White. Other colours will be available against request.

This Price list supersedes all our previous price lists and subject to change without prior notice.



Multicore Flexible Cables

Multistrand bright electrolytic annealed bare copper conductor, PVC insulated & PVC sheathed multicore round flexible industrial Cables for working voltages up to and including 1100 Volts, As per IS 694 (HSN CODE 8544)

RATE PER 100 METER					
SIZE(SQ MM)	CONFIG.	AMPS	2 CORE	3 CORE	4 CORE
0.50	16/0.2	5	4601	6154	7917
0.75	24/0.2	8	6152	8375	10867
1.00	32/0.2	13	7646	10634	13931
1.50	30/0.25	17	10224	14399	18925
2.50	50/0.25	24	16334	23210	30709
4.00	56/0.30	30	25528	36944	48723
6.00	54/0.30	38	37835	54230	72333
10.0	140/0.30	52	63180	90778	121742
16.0	126/0.40	70	101986	147325	197074
25.0	196/0.40	88	158727	228591	306515
35.0	276/0.40	112	223824	323530	434448
50.0	396/0.40	146	315209	447250	603314
70.0	360/0.50	216	449031	635993	855264

Multistrand bright electrolytic annealed bare copper conductor, FR PVC insulated & FR PVC sheathed multicore round flexible industrial Cables for working voltages up to and including 1100 Volts, As per IS 694 (HSN CODE 8544)

RATE PER 100 METER					
SIZE(SQ MM)	CONFIG.	AMPS	2 CORE	3 CORE	4 CORE
0.50	16/0.2	5	4877	6523	8393
0.75	24/0.2	8	6522	8879	11520
1.00	32/0.2	13	8106	11273	14768
1.50	30/0.25	17	10839	15265	20063
2.50	50/0.25	24	17316	24605	32555
4.00	56/0.30	30	27062	39165	51651
6.00	54/0.30	38	40109	57489	76680
10.0	140/0.30	52	66976	96234	129059
16.0	126/0.40	70	108115	156178	208918
25.0	196/0.40	88	168266	242329	324935
35.0	276/0.40	112	237275	342973	460557
50.0	396/0.40	146	334152	474127	639571
70.0	360/0.50	216	476016	674213	906662



**Our manufacturing unit in
Nadiad is spread across 82 acres.**



TORRENT ELECTRICALS

CORPORATE OFFICE
TORRENT ELECTRICALS LTD.
First Floor, 'Plug Point' Building, Torrent Power Campus,
Naranpura, Ahmedabad – 380013

REGISTERED OFFICE & WORKS
Yogi Nagar, Mission Road, Nadiad – 387002, Gujarat, INDIA
E-mail id- cutomercare@torrentelectricals.com; Contact: 079-66520011; Website: www.torrentelectricals.com

MADE IN INDIA

Follow us on     

Scan for website

